



NEX HYBRID

Ceramic bearing technology

Flying Sail Furlers
Swivel Hooks
Stayfurlers





NEX HYBRID

Ceramic bearing technology

MAIN BENEFITS




- Less friction > simpler and faster operations for crew members
- Weight savings > increased performance
- Simple mechanisms + machined parts > enhanced reliability
- Easy dismantling > easier maintenance
- Compact system: hook and swivel integrated in 1
- Comprehensive range: flying sail furlers, swivel hooks, stayfurlers

REFERENCES

- IMOCA 60's: BANQUE POPULAIRE 8, PRB, ST MICHEL VIRBAC
- MULTIHULL: 100' Banque Populaire 7, 130' Spindrift



NEX 6.X-SWIVEL
weight = 800 g.




SWL : 6 tonnes
BL mini : 12 tonnes

NEX 6.X-SPOOL
weight = 1570 g.

NEXHYBRID 6.X-LOCK
weight = 980 g.

NEXHYBRID 6.X-SWIVEL
weight = 800 g.



several fast action pin models :
- trigger
- push button
- webbing pull with ball or knot



Ø 234

several fast action pin models :
- trigger
- push button
- webbing pull with ball or knot



loop in std (hybrid system)
other end fittings available :
- eye
- solidsheave
- 4:1 diabolo
- ...

ultralight 2:1 or 3:1
purchase end fittings
(Hard anodised
aluminium rings)




SWL : 6,5 tonnes
BL mini : 13 tonnes


NEXHYBRID 6.X-SPOOL
weight = 1570 g.

ProFurl®


NEX S.X-SWIVEL
weight = 1150 g.



many fast action
pin models available:
- trigger
- push button
- webbing pull with
ball or knot




SWL : 9,5 tonnes
BL mini : 19 tonnes




(*) : cote dessus
loop/appui x-bone

NEX S.X-SPOOL
weight = 1990 g.



NEXSTR9.X-SWIVEL
weight = 1150 g.



SWL : 9,5 tonnes
BL mini : 19 tonnes



goupille
de sécurité



NEXSTR9.X-DRUM
weight = 2250 g.

FRANCE

Wichard - Profurl
ZA Pornichet Atlantique
16 rue du Gulf Stream
44380 Pornichet - France
Tel: +33 2 51 76 00 30
Mail: marine@wichard.com

NORTH EUROPE

Sebastien Barzilay
Tel: +31 65 36 68 862
E-mail: sbarzilay@wichard.com

wichard.com

